


High quality air in every room High comfort levels every day

Decentralised compact units for well distributed fresh air





The relaxed route to fresh air

Moisture accumulates in every building, even in your own home. Make sure that it doesn't diminish your living comfort. The easiest way to do this is with a fully automatic ventilation unit. It takes on the important task of air exchange, protecting your health and the fabric of the building. For you, that means convenient ventilation without having to open the windows.

Enjoy healthy air fully automatically

Fully automatic ventilation takes the current air humidity in the house into account and automatically adjusts the supply of fresh air accordingly. A helpful extra function is heat recovery, which can be as high as 90%. In addition, ventilation units are also fitted with special filters which keep pollen and dust outside – so people with allergies can breathe a sigh of relief.

Good reasons to enjoy your home comforts

- Building fabric protection and fungal mould prevention
-) Hygienic indoor air quality assured
- Beneficial for allergy sufferers due to good air filtering

Four components for good indoor air



Generally, temperatures between 19 and 23 °C are felt to be comfortable in a house or apartment.



Humidity

In our homes, optimum humidity lies between 40 and 50%. In heated rooms this should not sink below 30% or rise above 60%.



For a feeling of wellbeing, the CO₂ content of the air should be as low as possible. Depending on the time of year and the location, fresh outdoor air generally contains around 300 to 400 ppm.



For the movement of air within a living space to be perceived as pleasant, its speed should be between 0.1 and 0.15 m/s.



Experience a strong performance in an inconspicuous design

VLR 70 L Trend EU decentralised ventilation unit

This decentralised ventilation unit supplies fresh air to up to 100 m² of living space. Virtually no heat is lost, as it is fed back into the room with the outdoor air supply. This can help to reduce heating energy losses by as much as 90 %.

Keep pollutants out

Dirt and pollen don't stand a chance of finding their way into your home through this ventilation unit. Particularly good filter performance is achieved due to filters on both the inside and outside of the unit. As a result, people with allergies can breathe a sigh of relief as well.

Top product features

- Decentralised ventilation unit for rooms with external walls
- Yery easy to clean thanks to the aluminium surface of the heat exchanger
- Can provide intensive ventilation with low noise emissions
- High air quality, plus long service life through the use of two filters per fan
- Fitted with a fine dust/pollen filter making it ideal for allergy sufferers
- Moisture recovery of up to 60 %
- Control up to 8 units with the user interface



Heat recover

Make the best choice for all your plans

You might not notice the stale air in your home, but it can still make you feel lethargic and sluggish, and even impact your health. It is important to make sure that you have a regular supply of fresh air. Our decentralised ventilation units, which are easy to install, offer a convenient solution that takes on the task for you in a fully automatic process. They also extract the heat from the extract air and feed it back in with the fresh air.

How they work

These units are Installed in pairs - either) Fit on external walls in one room or adjoining rooms with good) Units are hard wired to the central airflow between them (see the manual for exact requirements). In normal heat recovery) Ideal for gently but intensively ventilating mode one unit of each pair will extract whilst the other brings in fresh air, switching several) Can be used in conjunction with extracttimes a minutes between them. A central controller can handle up to 4 pairs so that a whole house can be ventilated (and yes, it is possible to have an odd number more than 1 as the controller will balance the input and extract, though they are only sold in pairs).

A cross ventilation mode (one of the pair continually extracting, the other ventilating) without heat recovery can be used for hot summer nights to ventilate the house without keeping in heat.

Decentralised ventilation units

Key installation points

- controller
- living, working and sleeping areas
- only fans in high humidity rooms like bathrooms and kitchens



Model	VLR 70 L Trend EU
Apartments detached houses	= =
Living space kitchen, bathroom, WC	E -
Installation location	External wall
Wall outlet	•
Flush-mounted version	
Surface-mounted version	
Heat recovery	•
Automatic demand-dependent ventilation	■ 1)
Accessories available for even better air quality	•
Product class	Trend

 $^{^{1)}}$ With additional accessories such as humidity or CO_2 sensor.

06 | 07

Decentralised ventilation unit product data

Model		VLR 70 L Trend EU
Product number		203133
Power consumption	W	2-12
Heat availability level up to	º/o	89
Air flow rate	m³/h	20/30/40/49/70
Height/Width/Depth	mm	285/360/780
Weight	kg	5.20

Comfort through Technology	
Your local trade partner:	
L	
For new and interesting information on our	
products, visit www.stiebel-eltron.co.uk or	
consult your local trade partner.	
STIEBEL ELTRON UK Ltd 12 Stadium Court Stadium Road Wirral Interna Park Bromborough CH62 3RP sales@stiebel-eltron.co.uk www.stiebel-eltron.co.uk	ational Business

Legal notice | In spite of our careful efforts, we are not liable for any inaccuracies in the content of this brochure. Information concerning equipment levels and specifications is subject to modification. The equipment features described in this brochure are non-binding regarding the specification of the final product. Due to our policy of ongoing improvement, some features may be changed or even removed. Please consult your local dealer for information about the very latest equipment features. The images in this brochure are for reference only. The illustrations also contain installation components, accessories and special equipment that do not form part of the standard delivery. Reprinting of all or part of this brochure is only lawful with the publisher's express permission.